## REMARKS

Amendments have been made to the claims to remove the multiple dependencies and an abstract has been added in order to conform with U.S. practice. An early action on the merits is respectfully requested.

If any fees are required in connection with this case, it is respectfully requested that they be charged to Deposit Account No. 02-0184.

Ву

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents and Trademarks, Washington, D.C. 20231

April 11, 2003

Rachel Piscitelli

Date of Signature

Date: April 11, 2003

Respectfully symmitted,

WERNER BRUCHERT ET AL.

Gregory P. LaPointe

Attorney for Applicant

Reg. No. 28,395

Tel: (203) 777-6628 Fax: (203) 865-0297

## MARKED UP VERSION OF AMENDED CLAIMS

- 3. (Amended) The method as claimed in claim 1 [or claim 2], characterized in that 3 to 10% by weight of alkyl- and/or hydroxyalkylcellulose soluble in organic solvents are added.
- 4. (Amended) The method as claimed in [any of the preceding claims] claim 1, characterized in that an ethylcellulose soluble in organic solvents is added.
- 5. (Amended) The method as claimed in [any of the preceding claims] claim 1, characterized in that an alkyl- and/or hydroxyalkylcellulose is added, of which one part dissolves in 1 to 100 parts of a fatty alcohol, a fatty acid ester or an ester of a fatty acid with a fatty alcohol at 100°C.
- 6. (Amended) The method as claimed in [any of the preceding claims] claim 1, characterized in that, to dissolve the alkyl- and/or hydroxyalkylcellulose, a linear or branched fatty alcohol having a chain length of from 7 to 50 carbon atoms, preferably 12 to 34 carbon atoms or an ester of a linear or branched, saturated or unsaturated fatty acid having a chain length of from 12 to 24 carbon atoms is used.

- 7. (Amended) The method as claimed in [any of the preceding claims] claim 1, characterized in that, to dissolve the cellulose derivative, isopropyl myristate, isopropyl palmitate, myristic acid, cetyl alcohol, stearyl alcohol, isostearyl alcohol, behenyl alcohol or a mixture thereof is used.
- 8. (Amended) The method as claimed in [any of the preceding claims] claim 1, characterized in that colored leads whose length to diameter ratio is at least 5:1, preferably at least 8:1, are shaped from the lead mass.
- 9. (Amended) The method as claimed in [any of the preceding claims] <a href="claim 1">claim 1</a>, characterized in that cosmetic leads are shaped from the lead mass.
- 10. (Amended) The method as claimed in [any of the preceding claims] <u>claim 1</u>, characterized in that the leads are shaped by casting.
- 13. (Amended) The colored pencil as claimed in claim 11 [or 12], characterized in that it comprises a sleeve which is equipped with a rotary mechanism, into which a colored lead has been inserted.

16. (Amended) The colored pencil as claimed in [any of claims 11 to 15] claim 11, characterized in that it is a cosmetics pencil.